

References for the Annotated San Antonio Statement on Brominated and Chlorinated Flame Retardants

- AMAP Assessment. 2009. Human Health in the Arctic. Arctic Monitoring and Assessment Programme (AMAP), Oslo, Norway. 2009. 254 pp. Available: <http://www.amap.no>. file: [Human_health-near_final.pdf](#) [accessed 18 Oct. 2010].
- Antignac JP, Cariou R, Maume D, Marchand P, Monteau F, Zalko D, Berrebi A, Cravedi JP, Andre F, Le Bizec B. 2008. Exposure assessment of fetus and newborn to brominated flame retardants in France: preliminary data. *Mol Nutr Food Res* 52:258-265.
- Ashizuka Y, Nakagawa R, Hori T, Yasutake D, Tobiishi K, Sasaki K. 2008. Determination of brominated flame retardants and brominated dioxins in fish collected from three regions of Japan. *Mol Nutr Food Res* 52:273-283.
- Babich MA. 2006. CPSC Staff Preliminary Risk Assessment of Flame Retardant (FR) Chemicals in Upholstered Furniture Foam. U S Consumer Product Safety Commission, Bethesda, MD. Available: www.cpsc.gov/library/foia/foia07/brief/ufurn2.pdf [accessed 15 Oct 2010].
- Babrauskas V. 1983. Upholstered Furniture Heat Release Rates - Measurements and Estimation. *Journal of Fire Sciences* 1:9-32.
- Behnisch PA, Hosoe K, Sakai S-I. 2003. Brominated dioxin-like compounds: in vitro assessment in comparison to classical dioxin-like compounds and other polyaromatic compounds. *Environ Int* 29:861-877.
- Bergman Å. 1989. Brominated flame retardants in a global environmental perspective. Proceedings, Workshop on brominated aromatic flame retardants, Swedish National Chemicals Inspectorate, Solna, Sweden, 13-23.
- Bergman Å. 2005. The Abysmal Failure of Preventing Human and Environmental exposure to Persistent Brominated Flame Retardants: A Brief Historical Review of BRFs. In: Commemorating 25 years of Dioxin Symposia (Alaee M, Reiner E, Clement R, eds.). Toronto, Dioxin 2005, 32-40.
- Bergman Å, Lindgren T, Smedje G, Jakobsson K, Athanassiadis I, Athanasiadou M, Meyer E. 2010. PBDEs and non-PBDEs in aircraft cabin and cockpit air and dust. *Organohalogen Compd., Dioxin 2010*, San Antonio.
- Beth-Hübner M. 1999. Toxicological evaluation and classification of the genotoxic, carcinogenic, reprotoxic and sensitising potential of tris(2-chloroethyl)phosphate. *Int Arch Occup Environ Health* 72 (Suppl. 3):M17-M23.
- Birnbaum LS, Staskal DF, Diliberto JJ. 2003. Health effects of polybrominated dibenzo-*p*-dioxins (PBDDs) and dibenzofurans (PBDFs). *Environ Int* 29:855-860.
- Blum A, Ames BN. 1977. Flame-retardant additives as possible cancer hazards. *Science* 195:17-23.

- Brown TN, Wania F. 2008. Screening chemicals for the potential to be persistent organic pollutants: A case study of Arctic contaminants. *Environ Sci Technol* 42:5202-5209.
- Cariou R, Antignac JP, Zalko D, Berrebi A, Cravedi JP, Maume D, Marchand P, Monteau F, Riu A, Andre F, Le Bizec B. 2008. Exposure assessment of French women and their newborns to tetrabromobisphenol-A: Occurrence measurements in maternal adipose tissue, serum, breast milk and cord serum. *Chemosphere* 73:1036-1041.
- Choi J, Fujimaki TS, Kitamura K, Hashimoto S, Ito H, Suzuki N, Sakai S, Morita M. 2003. Polybrominated dibenzo-p-dioxins, dibenzofurans, and diphenyl ethers in Japanese human adipose tissue. *Environ Sci Technol* 37:817-821.
- Daley RE, Shaw SD, Birnbaum LS, Blum A. 2010. It's all about penta: Informing decision-makers about the properties of penta-BDE and its replacements [Abstract]. 30th International Symposium on Halogenated Persistence Organic Pollutants (POPs). Available: www.xcdtech.com/dioxin2010/pdf/1635.pdf [accessed 15 Oct 2010].
- Danish EPA. 2006. Deca-BDE and alternatives in electrical and electronic equipment, Environmental Project No, 1141 2006. Available: <http://www2.mst.dk/Udgiv/publications/2007/978-87-7052-349-3/pdf/978-87-7052-350-9.pdf> [accessed 12 Oct 2010].
- de Wit CA. 2002. An overview of brominated flame retardants in the environment. *Chemosphere* 46:583-624.
- de Wit CA, Herzke D, Vorkamp K. 2010. Brominated flame retardants in the Arctic environment - trends and new candidates. *Sci Total Environ* 408:2885-2918.
- EHRT. 1999. Final report on the reproductive toxicity of tris(2-chloroethyl)phosphate reproduction and fertility assessment in Swiss CD-1 mice when administered via gavage. Environmental Health Research and Testing Inc., Report Contract No. NTP.N01-ES-65142. in the order of National Toxicology program, NTIS/PB92-129170.
- Environment Canada. 2004. Follow-up report on a PSL1 substance: Chlorinated Paraffins. Environment Canada. Available: http://www.ec.gc.ca/substances/ese/eng/psap/PSL1_chlorinated_paraffins.cfm [accessed 12 Oct 2010].
- European Commission. 2008. Risk assessment hexabromocyclododecane, Final report May 2008. Available: http://ecb.jrc.ec.europa.eu/documents/Existing-Chemicals/RISK_ASSESSMENT/REPORT/hbccdreport044.pdf . [accessed 12 Oct 2010].
- Fängström B, Athanassiadis I, Odsjö T, Noren K, Bergman Å. 2008. Temporal trends of polybrominated diphenyl ethers and hexabromocyclododecane in milk from Stockholm mothers, 1980-2004. *Mol Nutr Food Res* 52:187-193.

- Gauthier LT, Hebert CE, Weseloh DVC, Letcher RJ. 2007. Current-use flame retardants in the eggs of herring gulls (*Larus argentatus*) from the Laurentian Great lakes. *Environ Sci Technol* 41:4561-4567.
- Gauthier LT, Potter D, Hebert CE, Letcher RJ. 2009. Temporal Trends and Spatial Distribution of Non-polybrominated Diphenyl Ether Flame Retardants in the Eggs of Colonial Populations of Great Lakes Herring Gulls. *Environ Sci Technol* 43:312-317.
- Gold MD, Blum A, Ames BN. 1978. . Another flame retardant, tris-(1,3-Dichloro-2-Propyl)-phosphate, and its expected metabolites are mutagens. *Science* 200:785-787.
- Hale RC, La Guardia MJ, Harvey E, Gaylor MO, Mainor TM. 2006. Brominated flame retardant concentrations and trends in abiotic media. *Chemosphere* 64:181-186.
- Hamers T, Kamstra JH, Sonneveld E, Murk AJ, Kester MHA, Andersson PL, Legler J, Brouwer A. 2006. In Vitro Profiling of the Endocrine-Disrupting Potency of Brominated Flame Retardants. *Toxicol Sci* 92:157-173.
- Harju M, Heimstad ES, Herzke D, Sandanger T, Posner S, Wania F. 2009. Current State of Knowledge and Monitoring requirements: Emerging “New” brominated flame retardants in flame retarded products and the environment. Norwegian Pollution Control Authority Report 2462. Available: <http://www.klif.no/publikasjoner/2462/ta2462.pdf> [accessed 17 Oct 2010].
- Harrad S, de Wit C, Abdallah MA-E, Bergh C, Björklund JA, Covaci A, Darnerud PO, de Boer J, Diamond M, et al. 2010. Indoor contamination with hexabromocyclododecanes, polybrominated diphenyl ethers, and perfluoroalkyl compounds: An important exposure pathway for people? *Environ Sci Technol* 44:3221-3231.
- Harrad S, Abdallah MAE, Rose NL, Turner SD, Davidson TA, Thomas A. 2009. Current-Use Brominated Flame Retardants in Water, Sediment, and Fish from English Lakes. *Environ Sci Technol* 43: 9077-9083. Addition/Correction in *Environ Sci Technol* 44: 5318.
- Hoh E, Zhu LY, Hites RA. 2006. Dechlorane plus, a chlorinated flame retardant, in the Great Lakes. *Environ Sci Technol* 40:1184-1189.
- Hovander L, Malmberg T, Athanasiadou M, Athanassiadis I, Rahm S, Bergman Å, Klasson Wehler E. 2002. Identification of hydroxylated PCB metabolites and other phenolic halogenated pollutants in human blood plasma. *Arch Environ Contam Toxicol* 42:105-117.
- Howard PH, Muir DCG. 2010. Identifying New Persistent and Bioaccumulative Organics Among Chemicals in Commerce. *Environ Sci Technol* 44:2277-2285.
- Hunsinger H, Jay K, Vehlow J. 2002. Formation and destruction of PCDD/F inside a grate furnace. *Chemosphere* 46:1263-1272.

- Jakobsson K, Thuresson K, Rylander L, Sjödin A, Hagmar L, Bergman Å. 2002. Exposure to polybrominated diphenyl ethers and tetrabromobisphenol A among computer technicians. *Chemosphere* 46:709-716.
- Jayakody C, Myers D, Sorathia U, Nelson GL. 2000. Fire-retardant characteristics of water-blown molded flexible polyurethane foam materials. *J Fire Sci* 18:430-455.
- Jogsten IE, Hagberg J, Lindstrom G, van Bavel B. 2010. Analysis of POPs in human samples reveal a contribution of brominated dioxin of up to 15% of the total dioxin TEQ. *Chemosphere* 78:113-120.
- Johnson-Restrepo B, Adams DH, Kannan K. 2008. Tetrabromobisphenol A (TBBPA) and hexabromocyclododecanes (HBCDs) in tissues of humans, dolphins, and sharks from the United States. *Chemosphere* 70:1935-1944.
- Kakimoto K, Akutsu K, Konishi Y, Tanaka Y. 2008. Time trend of hexabromocyclododecane in the breast milk of Japanese women. *Chemosphere* 71:1110-1114.
- Karlsson M, Ericson I, van Bavel B, Jensen JK, Dam M. 2006. Levels of brominated flame retardants in Northern Fulmar (*Fulmarus glacialis*) eggs from the Faroe Islands. *Sci Total Environ* 367:840-846.
- Kawashiro Y, Fukata H, Omori-Inoue M, Kubonoya K, Jotaki T, Takigami H, Sakai Si, Mori C. 2008. Perinatal exposure to brominated flame retardants and polychlorinated biphenyls in Japan. *Endocr J (Kyoto, Jpn)* 55:1071-1084.
- Kitamura S, Suzuki T, Sanoh S, Kohta R, Jinno N, Sugihara K, Yoshihara S, Fujimoto N, Watanabe H, Ohta S. 2005. Comparative Study of the Endocrine-Disrupting Activity of Bisphenol A and 19 Related Compounds. *Toxicol Sci* 84:249-259.
- Kotz, A, Malisch, R, Kypke, K, Oehme, M. 2005. PBDE, PBDD/F and mixed chlorinated-brominated PXDD/F in pooled human milk samples from different countries. *Organohalogen Compounds In Toronto, Canada* 67:1540-1544.
- Lam JCW, Lau RKF, Murphy MB, Lam PKS. 2009. Temporal Trends of Hexabromocyclododecanes (HBCDs) and Polybrominated Diphenyl Ethers (PBDEs) and Detection of Two Novel Flame Retardants in Marine Mammals from Hong Kong, South China. *Environ Sci Technol* 43:6944-6949.
- Laniewski K, BorEn H, Grimvall A. 1998. Identification of Volatile and Extractable Chloroorganics in Rain and Snow. *Environ Sci Technol* 32:3935-3940.
- Larsson A, Eriksson LA, Andersson PL, Ivarson P, Olsson PE. 2006. Identification of the Brominated Flame Retardant 1,2-Dibromo-4-(1,2-dibromoethyl)cyclohexane as an Androgen Agonist. *J Med Chem* 49:7366-7372.
- Law K, Halldorson T, Danell R, Stern G, Gewurtz S, Alae M, Marvin C, Whittle M, Tomy G. 2006. Bioaccumulation and trophic transfer of some brominated flame

- retardants in a Lake Winnipeg (Canada) food web. *Environ Toxicol Chem* 25:2177-2186.
- Letcher RJ, Gebbink WA, Sonne C, Born EW, McKinney MA, Dietz R. 2009. Bioaccumulation and biotransformation of brominated and chlorinated contaminants and their metabolites in ringed seals (*Pusa hispida*) and polar bears (*Ursus maritimus*) from East Greenland. *Environ Int* 35:1118-1124.
- Ma J, Addink R, Yun S, Cheng J, Wang W, Kannan K. 2009. Polybrominated Dibenzo-p-dioxins/Dibenzofurans and Polybrominated Diphenyl Ethers in Soil, Vegetation, Workshop-Floor Dust, and Electronic Shredder Residue from an Electronic Waste Recycling Facility and in Soils from a Chemical Industrial Complex in Eastern China. *Environ Sci Technol* 43:7350-7356.
- Mariussen E, Fonnum F. 2003. The effect of brominated flame retardants on neurotransmitter uptake into rat brain synaptosomes and vesicles. *Neurochemistry International* 43:533-542.
- Matsuda M, Okimoto M, Yousuke T, Nakamura M, Handa H, Kawano M, Nose Kea. 2010. Estimation of PBDD/DF toxicity equivalency factors from Ah receptor binding affinity and clearance rate in rat. Proceedings from the Fifth International Symposium on BFR, 2010, Kyoto, Japan Available: <http://www.bfr2010.com/abstract-download/2010/90086.pdf>. [accessed 15 Oct 2010].
- McGregor DB, Brown AG, Howgate S, McBride D, Riach C, Caspary WJ. 1991. Responses of the L5178Y mouse lymphoma cell forward mutation assay. V: 27 coded chemicals. *Environ Mol Mutagen* 17:196-219.
- Moeckel C, Gasic B, MacLeod M, Scheringer M, Jones KC, Hungerbühler K. 2010. Estimation of the source strength of polybrominated diphenyl ethers based on their diel variability in air in Zurich, Switzerland. *Environ. Sci. Technol.* 44:4225-4231.
- NTP (National Toxicology Program). Tetrabromobisphenol A [79-94-7]. 2002. Review of Toxicological Literature. National Institute of Environmental Health Sciences . Available: http://ntp.niehs.nih.gov/ntp/htdocs/Chem_Background/ExSumPdf/tetrabromobisphenola.pdf [accessed 12 Oct 2010].
- OEHHA (Office of Environmental Health Hazard Assessment). 1986. The Safe Drinking Water and Toxic Enforcement Act of 1986. Proposition 65 Available: <http://www.oehha.org/prop65.html> [accessed 16 Oct 2010].
- OEHHA (Office of Environmental Health Hazard Assessment). 2008. Brominated and chlorinated organic chemical compounds used as flame retardants. OEHHA . Available: http://oehha.ca.gov/multimedia/biomon/pdf/FlameRetardants_FourMore.pdf [accessed 12 Oct 2010].

- Olsman H, Engwall M, Kammann U, Klempt M, Otte J, Bavel Bv, Hollert H. 2007. Relative differences in aryl hydrocarbon receptor-mediated response for 18 polybrominated and mixed halogenated dibenzo-p-dioxins and -furans in cell lines from four different species. *Environ Toxicol Chem* 26:2448-2454.
- Rahman F, Langford KH, Scrimshaw MD, Lester JN. 2001. Polybrominated diphenyl ether (PBDE) flame retardants. *Sci Total Environ* 275:1-17.
- Rose M, Fernandes A. 2010. Are BFRs responsible for brominated dioxins and furans (PBDD/Fs) in blood? Proceedings from the Fifth International Symposium on BFR, 2010, Kyoto, Japan. Available: <http://www.bfr2010.com/abstract-download/2010/90029.pdf>. [accessed 15 Oct 2010].
- Sagerup K, Herzke D, Harju M, Evenset A, Christensen GN, Routti H, Fuglei E, Aars J, Strom H, Gabrielsen GW. 2010. New brominated flame retardants in Arctic biota. *Sci Total Environ* 408:2885-2918.
- SAICM (Strategic Approach to International Chemicals Management). 2009. Decision 11/4D of the Second International Conference on Chemicals Management. Available: <http://www.saicm.org/documents/iccm/ICCM2/ICCM2%20Report/ICCM2%2015%20FINAL%20REPORT%20E.pdf> [accessed 12 Oct 2010].
- Schuhmann JG, Hartzell GE. 1989. Flaming combustion characteristics of upholstered furniture. *J Fire Sci* 7:386-402.
- Shaw SD, Kannan K. 2009. Polybrominated diphenyl ethers in marine ecosystems of the American continents: foresight from current knowledge. *Rev Environ Health* 24:157-229.
- Söderström G, Marklund S. 2002. PBCDD and PBCDF from incineration of waste - containing brominated flame retardants. *Environ Sci Technol* 36:1959-1964.
- Stapleton HM, Allen JG, Kelly SM, Konstantinov A, Klosterhaus S, Watkins D, McClean MD, Webster TF. 2008. Alternate and new brominated flame retardants detected in US house dust. *Environ Sci Technol* 42:6910-6916.
- Stec A, Hull R. 2010. Fire toxicity. Woodhead publishing Limited, Oxford.
- Suzuki G, Nose K, Takigami H, Takahashi S, Sakai SI. 2006. PBDEs and PBDD/Fs in house and office dust from Japan. *Organohalogen Compd* 68:1843-1846.
- Suzuki G, Someya M, Takahashi S, Takigami H, Sakai S, Tanabe S. 2010. Dioxin-like compounds in Japanese indoor dusts: Brominated dibenzofurans strongly contribute to dioxin-like activity evaluated by in vitro bioassay. Proceedings from the Fifth International Symposium on BFR, Kyoto, Japan. Available: <http://www.bfr2010.com/abstract-download/2010/90062.pdf> [accessed 15 Oct 2010].

- Suzuki G, Takigami H, Watanabe M, Takahashi S, Nose K, Asari M, Sakai SI. 2008. Identification of brominated and chlorinated phenols as potential thyroid-disrupting compounds in indoor dusts. *Environmental science & technology* 42:1794-1800.
- Sverko E, Harner T, Lee SC, McCarty BE. 2010. Dechlorane Plus in the Global Atmospheric Passive Sampling (GAPS) study. *Organohalogen Compd.*, Dioxin 2010, San Antonio.
- Swedish Chemicals Agency. 2009. Proposal for harmonised classification and labelling, Substance hexachlorocyclododecane. ECHA. Available: http://echa.europa.eu/doc/consultations/cl/clh_axvrep_sweden_CD001435-70.pdf. [accessed 12 Oct 2010].
- TB 117. 2000. Requirements, test procedure and apparatus for testing the flame retardance of resilient filling materials used in upholstered furniture. State of California, Department of Consumer Affairs, Bureau of Home Furnishings and Thermal Insulation. Available: <http://www.bhfti.ca.gov/industry/117.pdf> [accessed 17 Oct. 2010].
- Takigami H, Suzuki G, Hirai Y, Sakai Si. 2008. Transfer of brominated flame retardants from components into dust inside television cabinets. *Chemosphere* 73:161-169.
- Talley TH. 1995. Phases 1&2, UFAC Small Open Flame Tests and Cigarette Ignition Tests. Proceedings from the Annual AFMA Flammability Conference. March 23, 1995.
- Thomas GO, Farrar D, Braekevelt E, Stern G, Kalantzi OI, Martin FL, Jones KC. 2006. Short and medium chain length chlorinated paraffins in UK human milk fat. *Environ Int* 32:34-40.
- Thomsen C, Stigum H, Frøshaug M, Broadwell SL, Becher G, Eggesbø M. 2010. Determinations of brominated flame retardants in breast milk from a large scale Norwegian study. *Environ Int* 36:68-74.
- Tomy GT, Fisk AT, Westmore JB, Muir DCG. 1998. Environmental chemistry and toxicology of polychlorinated n-alkanes. *Rev Environ Contam Toxicol* 158:53-128.
- Tomy GT, Pleskach K, Arsenault G, Potter D, McCrindle R, Marvin CH, Sverko E, Tittlemier S. 2008. Identification of the novel cycloaliphatic brominated flame retardant 1,2-dibromo-4-(1,2-dibromoethyl)cyclo-hexane in Canadian arctic beluga (*Delphinapterus leucas*). *Environ Sci Technol* 42:543-549.
- U.S. Consumer Product Safety Commission. 1977. NEWS from CPSC - CPSC Bans TRIS-Treated Children's Garments. U.S. Consumer Product Safety Commission. Available: <http://www.cpsc.gov/cpscpub/prereel/prhtml77/77030.html> [accessed 12 Oct 2010].
- UNEP (United Nations Environment Programme). 2001. Final act of the conference of plenipotentiaries on the Stockholm convention on persistent organic pollutants.

- Available: <http://www.chem.unep.ch/pops/> Stockholm, Sweden, United Nations Environment Programme. [accessed 12 Oct 2010].
- UNEP (United Nations Environment Programme). 2009. Stockholm Convention text and annexes as amended in 2009. Available: <http://chm.pops.int/Convention/tabid/54/language/en-US/Default.aspx#convtext> [accessed 17 Oct 2010].
- UNEP/POPS/POPRC. (Stockholm Convention Persistent Organic Pollutants Review Committee). 2009a. Proposal to list hexabromocyclododecane in Annex A of the Stockholm Convention on Persistent Organic Pollutants UNEP/POPS/POPRC.5/4 Available: <http://chm.pops.int/Convention/POPs%20Review%20Committee/Chemicals/tabid/781/language/en-US/Default.aspx> [accessed 17 Oct. 2010].
- UNEP/POPS/POPRC. (Stockholm Convention Persistent Organic Pollutants Review Committee). 2009b. General guidance on considerations related to alternatives and substitutes for listed persistent organic pollutants and candidate chemicals. UNEP/POPS/POPRC.5/10/Add.1 Available: <http://chm.pops.int/Convention/POPsReviewCommittee/POPRCMeetings/POPRC5/POPRC5ReportandDecisions/tabid/719/language/en-US/Default.aspx> [accessed 17 Oct. 2010].
- UNEP/POPS/POPRC. (Stockholm Convention Persistent Organic Pollutants Review Committee). 2010. Draft Technical review of the implications of recycling commercial pentabromodiphenyl ether and commercial octabromodiphenyl ether. Stockholm Convention POPs Review Committee, UNEP/POPS/POPRC.6/INF/7. Available: <http://chm.pops.int/Convention/POPsReviewCommittee/POPRCMeetings/POPRC6/POPRC6Documents/tabid/783/language/en-US/Default.aspx> [accessed 17 Oct 2010].
- Van der Ven LTM, van de Kuil T, Verhoef A, Verwer CM, Lilienthal H, Leonards PEG, Schauer UMD, Canton RF, Litens S, De Jong FH, Visser TJ, Dekant W, Stern N, Hakansson H, Slob W, van den Berg M, Vos JG, Piersma AH. 2008. Endocrine effects of tetrabromobisphenol-A (TBBPA) in Wistar rats as tested in a one-generation reproduction study and a subacute toxicity study. *Toxicol* 245:76-89.
- Verreault J, Gebbink WA, Gauthier LT, Gabrielsen GW, Letcher RJ. 2007a. Brominated flame retardants in glaucous gulls from the Norwegian Arctic: More than just an issue of polybrominated diphenyl ethers. *Environ Sci Technol* 41:4925-4931.
- Verreault J, Gebbink WA, Gauthier LT, Gabrielsen GW, Letcher RJ. 2007b. Brominated Flame Retardants in Glaucous Gulls from the Norwegian Arctic: More Than Just an Issue of Polybrominated Diphenyl Ethers. *Environ Sci Technol* 41:4925-4931.

- Viberg H, Fredriksson A, Jakobsson E, Örn U, Eriksson P. 2003. Neurobehavioral derangements in adult mice receiving decabrominated diphenyl ether (PBDE 209) during a defined period of neonatal brain development. *Toxicol Sci* 76:112-120.
- Viberg H, Fredriksson A, Eriksson P. 2007. Changes in spontaneous behavior and altered response to nicotine in the adult rat, after neonatal exposure to the brominated flame retardant, decabrominated diphenyl ether (PBDE 209). *NeuroToxicology* 28:136-142.
- Weber R, Kuch B. 2003. Relevance of BFRs and thermal conditions on the formation pathways of brominated and brominated-chlorinated dibenzodioxins and dibenzofurans. *Environ Int* 29:699-710.
- Wichmann H, Dettmer FT, Bahadir M. 2002. Thermal formation of PBDD/F from tetrabromobisphenol A- a comparison of polymer linked TBBP A with its additive incorporation in thermoplastics. *Chemosphere* 47:349-355.
- Xie Z, Ebinghaus R, Lohmann R, Heemken O, Caba A, Puettmann W. 2007. Trace determination of the flame retardant tetrabromobisphenol A in the atmosphere by gas chromatography-mass spectrometry. *Anal Chim Acta* 584:333-342.
- Zennegg, M, Yu, X, Wong, M, Weber, R. 2009. Fingerprints of chlorinated, brominated and mixed halogenated dioxins at two e-waste recycling sites in Guiyu/China. *Organohalogen Compd* 71, Dioxin 2010, Beijing.
- Zhu J, Feng YI, Shoeib M. 2007. Detection of Dechlorane Plus in Residential Indoor Dust in the City of Ottawa, Canada. *Environ Sci Technol* 41:7694-7698.
- Zhu J, Hou Y, Feng YI, Shoeib M, Harner T. 2008. Identification and Determination of Hexachlorocyclopentadienyl-Dibromocyclooctane (HCDBCO) in Residential Indoor Air and Dust: A Previously Unreported Halogenated Flame Retardant in the Environment. *Environ Sci Technol* 42:386-391.
- Zhu L, Ma B, Hites RA. 2009. Brominated Flame Retardants in Serum from the General Population in Northern China. *Environ Sci Technol* 43:6963-6968.